

H30

H50


H60

H75

H85


H110

POK



PNK

2



PERFORIRANI NOSAČI KABLOVA

PERFORATED CABLE TRAY SYSTEMS



STRONG



FAST ---



NO TOOLS



1

Plafonska montaža regala u više nivoa vrši se pomoću UD nosača, U profila i konzola.

We use UD carrier, U channel and cantilever for mounting cable trays on different levels to the ceiling.



2

Spoj regala podno-rotirajućom spojnicom za premošćavanje visinske razlike.

Joint of the cable trays with floor-rotating coupling for bridging the height difference.



3

Montaža regala za trapezni plafon ostvaruje se pomoću nosača za trapezni lim, navojne šipke i nosača regala.


We use brackets for trapezoidal sheet metal, threaded rod and cable tray for mounting cable trays to the trapezoidal ceiling.



4

Zalamajuća spojnica koristi se za izradu ugaonih krivina na licu mesta, a ugao se formira sečenjem krajeva regala.

Angle connector is used for making angle curves when mounting, and we make an angle by cutting the ends of the cable carriers.



5

Za montažu regala na plafon pomoću dve navojne šipke, koristi se profilna perforirana šina.

We use a profiled perforated rail for mounting cable tray against the ceiling by two threaded rods.



6

Pričvršćivanje nosača kablova za konzolu vrši se torban vijcima PEKOM M6x12.

Attachment of the cable trays to the cantilever is done by PEKOM M6 x 12 torch screw.



7

Montaža regala na odstopnik vrši se pomoću torban vijaka tipa PEKOM M6x12.

We use PEKOM M6 x 12 torch screws for mounting cable tray to the spacer.




8

Keder guma se koristi kao zaštita od oštih ivica prilikom sečenja regala brusilicom na licu mesta.

Kedar rubber is used as a protection against the sharp edges made when cable trays are cut by grinder on the spot.



PNK



9

Zglobna spojnica koristi se kod premošćavanja razlike u visinama. Zglobna spojnica se može fiksirati pod određenim uglovima.


Angle connector is used for bridging the difference in heights. Angle connector can be fixed at certain angles.



10

Spoj regala podno-rotirajućom spojnicom za premošćavanje visinske razlike.

Joint of the cable trays with floor-rotating coupling for bridging the height difference.



11

Montaža regala za trapezni plafon ostvaruje se pomoću nosača za trapezni lim, navojne šipke i nosača regala.

We use brackets for trapezoidal sheet metal, threaded rod and cable tray for mounting cable trays against the trapezoidal ceiling.



12

Montaža krivine vrši se na licu mesta. Regali se ubacuju (uvlače) u krivine, a spoj regala i krivina ostvaren je vijcima tipa PEKOM M6x12.

Mounting the bend is done on the spot. Cable trays are pulled into the bands, and the connection is made by PEKOM M6 x 12 torch screws.


13

Pričvršćivanje nosača kablova za konzolu vrši se torban vijcima PEKOM M6 x 12 i nazubljenim maticama M6.

Attachment of the cable trays to the cantilever is done by the PEKOM torch bolt, type M6 x 12, without additional couplings.


14

Montaža krivine 90° i regala nosača kablova ostvaruje se putem vijaka tipa PEKOM M6 x 12, bez dodatnih spojnika.

Mounting of the 90° curve and the cable tray is done by the PEKOM M6 x 12 type screws.


15

Zglobna krivina za premošćavanje razlike u visinama.

Angle curve for bridging the difference in heights.


16

Montaža nosača kablova na jednu navojnu šipku pomoću središnjeg nosača.

Mounting cable trays on a threaded rod by a midway carrier.


17

Montaža + račve i regala nosača kablova ostvarena je direktnom vezom pomoću torban vijaka tipa PEKOM M6 x 12 bez dodatnih spojnika.

Installation of the cross-section twitch and cable tray carrier was achieved by direct connection with the PEKOM torch bolt, type M6 x 12, without additional couplings.


18

PNK poklopac montira se bez dodatnih vijaka i stezaljki jednostavnim klik sistemom. Vrlo je jednostavna i brza demontaža poklopca.

Lid for perforated cable trays is mounted without additional screws and clamps by a simple CLICK system. Disassembly of the lid is very simple and fast.



19

Montaža T račve i regala nosača kablova ostvarena je pomoću torban vijaka tipa PEKOM M6 x 12, bez dodatnih spojnika.

Mounting of the T twitch and the cable tray is done by using the PEKOM M6 x 12 torch screw.



20

Montažom vertikalne ugradne račve postiže se efekat odlivnog levka po visini.

By mounting vertical embedded twitch we have the effect of leakage funnel.



PNK



21

Princip spoja dva PNK regala sa klik sistemom bez dodatnih vijaka.

The principle of connecting two PNK cable trays by click system, without additional bolts.



22

Jedan klik... i gotovo...

Just a click... and done...



23

Bočno usecanje regala i montaža ugradne račve vrši se na licu mesta. Ugradna račva na usečeni deo regala pričvršćuje se torban vijcima tipa PEKOM M6 x 12 bez dodatnih spojnika.

Side cutting of the cable trays and mounting of the built-in twitch is done on the spot. Built-in twitch is attached to the cut side of the cable tray by the PEKOM torch bolt, type M6 x 12, without additional couplings.




24

Bočno usecanje regala i montaža ugradne račve vrši se na licu mesta. Ugradna račva na usečeni deo regala pričvršćuje se torban vijcima tipa PEKOM M6 x 12 bez dodatnih spojnika.


Side cutting of the cable trays and mounting of the built-in twitch is done on the spot. Built-in twitch is attached to the cut side of the cable tray by the PEKOM torch bolt, type M6 x 12, without additional couplings.

Connecting PNK Cable Tray



Nosač kablova PNK / PNK cable trays

H30




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²		kg/m		PL
PNK 3 5 200 PL	50	30	0.75	2000	13	115	60	40	10010001
PNK 3 10 200 PL	100	30	0.75	2000	35	112	58	38	10010003
PNK 3 16 200 PL	160	30	0.75	2000	45	111	57	36	10010008
PNK 3 20 200 PL	200	30	0.75	2000	70	110	55	32	10010013
PNK 3 30 200 PL	300	30	0.75	2000	105	101	58	39	10010018
									PL
PNK 3 5 300 PL	50	30	0.75	3000	13	115	60	40	10010016
PNK 3 10 300 PL	100	30	0.75	3000	35	112	58	38	10010017
PNK 3 16 300 PL	160	30	0.75	3000	45	111	57	36	10010021
PNK 3 20 300 PL	200	30	0.75	3000	70	110	55	32	10010022
PNK 3 30 300 PL	300	30	0.75	3000	105	101	58	39	10010026

PL Pocinkovani lim / Galvanized sheet



Pregrada / Divider




Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
	mm	mm		PL
P PNK 30 2M PL	30	2000	10	10030001
P PNK 30 3M PL	30	3000	10	10030002

PL Pocinkovani lim / Galvanized sheet




Bočna spojnica / Straight connector



Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
	mm		PL
S PNK 30 PL	30	50	10030003


PL Pocinkovani lim / Galvanized sheet





Lomljiva spojnica / Angle connector

H30




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 30 PL	mm 30	50	PL 10030004

PL Pocinkovani lim / Galvanized sheet



Zglobna spojnica / Adjustable connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 30 PL	mm 30	50	PL 10030005

PL Pocinkovani lim / Galvanized sheet



Ugradna račva / Add-one tee




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
UR PNK 3 5 PL	mm 50	30	1	PL 10030006
UR PNK 3 10 PL	100	30	1	10030007
UR PNK 3 16 PL	160	30	1	10030008
UR PNK 3 20 PL	200	30	1	10030009
UR PNK 3 30 PL	300	30	1	10030010

PL Pocinkovani lim / Galvanized sheet




Krivina 45° / Bend 45°




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
K45 PNK 3 5 PL	mm 50	30	1	PL 10030011
K45 PNK 3 10 PL	100	30	1	10030012
K45 PNK 3 16 PL	160	30	1	10030013
K45 PNK 3 20 PL	200	30	1	10030014
K45 PNK 3 30 PL	300	30	1	10030015

PL Pocinkovani lim / Galvanized sheet



Krivina 90° / Bend 90°

H30




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
L PNK 3 5 PL	50	30	1	10030016
L PNK 3 10 PL	100	30	1	10030017
L PNK 3 16 PL	160	30	1	10030018
L PNK 3 20 PL	200	30	1	10030019
L PNK 3 30 PL	300	30	1	10030020

PL Pocinkovani lim / Galvanized sheet



Ugaona spojnica / Corner connector




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
US PNK 3 5 PL	50	30	1	10030021
US PNK 3 10 PL	100	30	1	10030022
US PNK 3 16 PL	160	30	1	10030023
US PNK 3 20 PL	200	30	1	10030024
US PNK 3 30 PL	300	30	1	10030025

PL Pocinkovani lim / Galvanized sheet



T račva / T Module




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
T PNK 3 5 PL	50	30	1	10030026
T PNK 3 10 PL	100	30	1	10030027
T PNK 3 16 PL	160	30	1	10030028
T PNK 3 20 PL	200	30	1	10030029
T PNK 3 30 PL	300	30	1	10030030

PL Pocinkovani lim / Galvanized sheet




Račva plus / + Connection module



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
X PNK 3 5 PL	50	30	1	10030031
X PNK 3 10 PL	100	30	1	10030032
X PNK 3 16 PL	160	30	1	10030033
X PNK 3 20 PL	200	30	1	10030034
X PNK 3 30 PL	300	30	1	10030035


PL Pocinkovani lim / Galvanized sheet





Elementi zglobno vertikalne krivine / Adjustable vertical bend element

H30




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
EZK PNK 3 10 PL	100	30	1	10030036
EZK PNK 3 16 PL	160	30	1	10030037
EZK PNK 3 20 PL	200	30	1	10030038
EZK PNK 3 30 PL	300	30	1	10030039
EZK PNK 3 40 PL	400	30	1	10030040

PL Pocinkovani lim / Galvanized sheet



Zglobno vertikalna krivina / Adjustable vertical bend




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
ZK PNK 3 10 PL	100	30	1	10030041
ZK PNK 3 16 PL	160	30	1	10030042
ZK PNK 3 20 PL	200	30	1	10030043
ZK PNK 3 30 PL	300	30	1	10030044
ZK PNK 3 40 PL	400	30	1	10030045

PL Pocinkovani lim / Galvanized sheet



Nosač kablova PNK / PNK cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²		kg/m		PL
PNK 5 5 300 PL	50	50	0.75	3000	23	123	78	44	10010002
PNK 5 10 300 PL	100	50	0.75	3000	48	121	80	50	10010004
PNK 5 16 300 PL	160	50	0.75	3000	78	128	81	48	10010009
PNK 5 20 300 PL	200	50	0.75	3000	98	132	77	47	10010014
PNK 5 30 300 PL	300	50	0.75	3000	148	112	78	42	10010019
PNK 5 40 300 PL	400	50	0.75	3000	198	153	123	69	10010023
PNK 5 50 300 PL	500	50	1	3000	248	156	125	62	10010027
PNK 5 60 300 PL	600	50	1	3000	298	158	128	62	10010030
									PL
PNK 5 5 200 PL	50	50	0.75	2000	23	123	78	44	10010275
PNK 5 10 200 PL	100	50	0.75	2000	48	121	80	50	10010276
PNK 5 16 200 PL	160	50	0.75	2000	78	128	81	48	10010277
PNK 5 20 200 PL	200	50	0.75	2000	98	132	77	47	10010278
PNK 5 30 200 PL	300	50	0.75	2000	148	112	78	42	10012079
PNK 5 40 200 PL	400	50	0.75	2000	198	153	123	69	10012080
PNK 5 50 200 PL	500	50	1	2000	248	156	125	62	10012081
PNK 5 60 200 PL	600	50	1	2000	298	158	128	62	10012082
									TC
PNK 5 5 300 TC	50	50	0.8	3000	23	123	78	44	10810000
PNK 5 10 300 TC	100	50	0.8	3000	48	121	80	50	10810001
PNK 5 16 300 TC	160	50	0.8	3000	78	128	81	48	10810002
PNK 5 20 300 TC	200	50	0.8	3000	98	132	77	47	10810003
PNK 5 30 300 TC	300	50	0.8	3000	148	112	78	42	10810004
PNK 5 40 300 TC	400	60	0.8	3000	198	153	123	69	10810005
PNK 5 50 300 TC	500	60	1	3000	248	156	125	62	10810006
PNK 5 60 300 TC	600	60	1	3000	298	158	128	62	10810007

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Nosač kablova PNK / PNK cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²		kg/m		PL
PNK 5 10 600 PL	100	50	0.75	6000	48	121	80	50	10610008
PNK 5 16 600 PL	160	50	0.75	6000	78	128	81	48	10610009
PNK 5 20 600 PL	200	50	0.75	6000	98	132	77	47	10610010
PNK 5 30 600 PL	300	50	0.75	6000	148	112	78	42	10610011

PL Pocinkovani lim / Galvanized sheet





Nosač kablova SNK / SNK cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm²		kg/m		PL
SNK 5 5 300 PL	50	50	1	3000	23	152	102	60	10070000
SNK 5 10 300 PL	100	50	1	3000	48	150	98	55	10070001
SNK 5 16 300 PL	160	50	1	3000	78	148	100	58	10070002
SNK 5 20 300 PL	200	50	1	3000	98	142	99	52	10070003
SNK 5 30 300 PL	300	50	1	3000	148	138	88	48	10070004
SNK 5 40 300 PL	400	50	1	3000	198	153	123	69	10070005
SNK 5 50 300 PL	500	50	1	3000	248	156	125	62	10070006
SNK 5 60 300 PL	600	50	1	3000	298	158	128	62	10070007
									PL
SNK 5 5 200 PL	50	50	1	2000	23	152	102	60	10070008
SNK 5 10 200 PL	100	50	1	2000	48	150	98	55	10070009
SNK 5 16 200 PL	160	50	1	2000	78	148	100	58	10070010
SNK 5 20 200 PL	200	50	1	2000	98	142	99	52	10070011
SNK 5 30 200 PL	300	50	1	2000	148	138	88	48	10070012
SNK 5 40 200 PL	400	50	1	2000	198	125	80	47	10070013
SNK 5 50 200 PL	500	50	1	2000	248	122	75	45	10070014
SNK 5 60 200 PL	600	50	1	2000	298	121	74	41	10070015
									TC
SNK 5 5 300 TC	50	50	1	3000	23	152	102	60	10020000
SNK 5 10 300 TC	100	50	1	3000	48	150	98	55	10020001
SNK 5 16 300 TC	160	50	1	3000	78	148	100	58	10020002
SNK 5 20 300 TC	200	50	1	3000	98	142	99	52	10020003
SNK 5 30 300 TC	300	50	1	3000	148	138	88	48	10020004
SNK 5 40 300 TC	400	50	1	3000	198	125	80	47	10020005

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Nosač kablova VNK / VNK cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm²		kg/m		PL
VNK 5 5 300 PL	50	50	1.5	3000	23	253	201	120	10080000
VNK 5 10 300 PL	100	50	1.5	3000	48	251	198	118	10080001
VNK 5 16 300 PL	160	50	1.5	3000	78	250	199	119	10080002
VNK 5 20 300 PL	200	50	1.5	3000	98	249	196	105	10080003
VNK 5 30 300 PL	300	50	1.5	3000	148	248	195	100	10080004
VNK 5 40 300 PL	400	50	1.5	3000	198	240	180	95	10080005
VNK 5 50 300 PL	500	50	1.5	3000	198	236	182	92	10080006
VNK 5 60 300 PL	600	50	1.5	3000	198	230	178	86	10080007
									TC
VNK 5 5 300 TC	50	50	1.5	3000	23	253	201	120	10020006
VNK 5 10 300 TC	100	50	1.5	3000	48	251	198	118	10020007
VNK 5 16 300 TC	160	50	1.5	3000	78	250	199	119	10020008
VNK 5 20 300 TC	200	50	1.5	3000	98	249	196	105	10020009
VNK 5 30 300 TC	300	50	1.5	3000	148	248	195	100	10020010
VNK 5 40 300 TC	400	50	1.5	3000	198	240	180	95	10020011
VNK 5 50 300 TC	500	50	1.5	3000	198	236	182	92	10020012
VNK 5 60 300 TC	600	50	1.5	3000	198	230	178	86	10020013

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Nosač kablova PNKP / PNKP cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
PNKP 5 5 300 PL	50	50	0.75	3000	23	112	80	52	10040001
PNKP 5 10 300 PL	100	50	0.75	3000	48	110	78	46	10040002
PNKP 5 20 300 PL	200	50	0.75	3000	98	102	75	48	10040003
PNKP 5 30 300 PL	300	50	0.75	3000	148	100	74	44	10040004

PL Pocinkovani lim / Galvanized sheet




Nosač kablova SNKP / SNKP cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
SNKP 5 5 300 PL	50	50	1	3000	23	156	104	56	10040005
SNKP 5 10 300 PL	100	50	1	3000	48	152	101	55	10040006
SNKP 5 16 300 PL	160	50	1	3000	78	150	99	50	10040007
SNKP 5 20 300 PL	200	50	1	3000	98	146	98	47	10040008
SNKP 5 30 300 PL	300	50	1	3000	148	144	97	45	10040009
SNKP 5 40 300 PL	400	50	1	3000	198	138	89	42	10040010
SNKP 5 50 300 PL	500	50	1	3000	248	136	87	38	10040011
SNKP 5 60 300 PL	600	50	1	3000	298	132	81	36	10040012
									TC
SNKP 5 5 300 TC	50	50	1	3000	23	156	104	56	10020014
SNKP 5 10 300 TC	100	50	1	3000	48	152	101	55	10020015
SNKP 5 16 300 TC	160	50	1	3000	78	150	99	50	10020016
SNKP 5 20 300 TC	200	50	1	3000	98	146	98	47	10020017
SNKP 5 30 300 TC	300	50	1	3000	148	144	97	45	10020018
SNKP 5 40 300 TC	400	50	1	3000	198	138	89	42	10020019
SNKP 5 50 300 TC	500	50	1	3000	248	136	87	38	10020020
SNKP 5 60 300 TC	600	50	1	3000	298	132	81	36	10020021

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Pregrada / Divider



Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
P PNK 50 PL	50	3000	10	10030046
P PNK 50 TC	50	3000	10	10020022

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Bočna spojnica / Straight connector

H50




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
S PNK 50 PL	50	50	PL 10030047
S PNK 50 TC	50	50	TC 10020023

PL Pocinkovani lim / Galvanized sheet **TC** Toplo pocinkovano potapanjem / Hot - dip galvanized




Lomljiva spojnica / Angle connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 50 PL	50	50	PL 10030048
LS PNK 50 TC	50	50	TC 10020024

PL Pocinkovani lim / Galvanized sheet **TC** Toplo pocinkovano potapanjem / Hot - dip galvanized



Zglobna spojnica / Adjustable connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 50 PL	50	50	PL 10030049
ZS PNK 50 TC	50	50	TC 10020025

PL Pocinkovani lim / Galvanized sheet **TC** Toplo pocinkovano potapanjem / Hot - dip galvanized



Ugradna račva / Add-one tee

H50




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
UR PNK 5 5 PL	50	50	1	10030050
UR PNK 5 10 PL	100	50	1	10030051
UR PNK 5 16 PL	160	50	1	10030052
UR PNK 5 20 PL	200	50	1	10030053
UR PNK 5 30 PL	300	50	1	10030054
UR PNK 5 40 PL	400	50	1	10030055
UR PNK 5 50 PL	500	50	1	10030056
UR PNK 5 60 PL	600	50	1	10030057
				TC
UR PNK 5 5 TC	50	50	1	10020026
UR PNK 5 10 TC	100	50	1	10020027
UR PNK 5 16 TC	160	50	1	10020028
UR PNK 5 20 TC	200	50	1	10020029
UR PNK 5 30 TC	300	50	1	10020030
UR PNK 5 40 TC	400	50	1	10020031
UR PNK 5 50 TC	500	50	1	10020032
UR PNK 5 60 TC	600	50	1	10020033

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Krivina 45° / Bend 45°



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
K45 PNK 5 5 PL	50	50	1	10030058
K45 PNK 5 10 PL	100	50	1	10030059
K45 PNK 5 16 PL	160	50	1	10030060
K45 PNK 5 20 PL	200	50	1	10030061
K45 PNK 5 30 PL	300	50	1	10030062
K45 PNK 5 40 PL	400	50	1	10030063
K45 PNK 5 50 PL	500	50	1	10030064
K45 PNK 5 60 PL	600	50	1	10030065
				TC
K45 PNK 5 5 TC	50	50	1	10020034
K45 PNK 5 10 TC	100	50	1	10020035
K45 PNK 5 16 TC	160	50	1	10020036
K45 PNK 5 20 TC	200	50	1	10020037
K45 PNK 5 30 TC	300	50	1	10020038
K45 PNK 5 40 TC	400	50	1	10020039
K45 PNK 5 50 TC	500	50	1	10020040
K45 PNK 5 60 TC	600	50	1	10020041

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized






Krivina 90° / Bend 90°

H50




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
L PNK 5 5 PL	50	50	1	10030066
L PNK 5 10 PL	100	50	1	10030067
L PNK 5 16 PL	160	50	1	10030068
L PNK 5 20 PL	200	50	1	10030069
L PNK 5 30 PL	300	50	1	10030070
L PNK 5 40 PL	400	50	1	10030071
L PNK 5 50 PL	500	50	1	10030072
L PNK 5 60 PL	600	50	1	10030073
				TC
L PNK 5 5 TC	50	50	1	10020042
L PNK 5 10 TC	100	50	1	10020043
L PNK 5 16 TC	160	50	1	10020044
L PNK 5 20 TC	200	50	1	10020045
L PNK 5 30 TC	300	50	1	10020046
L PNK 5 40 TC	400	50	1	10020047
L PNK 5 50 TC	500	50	1	10020048
L PNK 5 60 TC	600	50	1	10020049

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Ugaona spojnica / Corner connector




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
US PNK 5 5 PL	50	50	1	10030074
US PNK 5 10 PL	100	50	1	10030075
US PNK 5 16 PL	160	50	1	10030076
US PNK 5 20 PL	200	50	1	10030077
US PNK 5 30 PL	300	50	1	10030078
US PNK 5 40 PL	400	50	1	10030079
US PNK 5 50 PL	500	50	1	10030080
US PNK 5 60 PL	600	50	1	10030081
				TC
US PNK 5 5 TC	50	50	1	10020050
US PNK 5 10 TC	100	50	1	10020051
US PNK 5 16 TC	160	50	1	10020052
US PNK 5 20 TC	200	50	1	10020053
US PNK 5 30 TC	300	50	1	10020054
US PNK 5 40 TC	400	50	1	10020055
US PNK 5 50 TC	500	50	1	10020056
US PNK 5 60 TC	600	50	1	10020057

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


T račva / T Module

H50




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
T PNK 5 5 PL	50	50	1	10030082
T PNK 5 10 PL	100	50	1	10030083
T PNK 5 16 PL	160	50	1	10030084
T PNK 5 20 PL	200	50	1	10030085
T PNK 5 30 PL	300	50	1	10030086
T PNK 5 40 PL	400	50	1	10030087
T PNK 5 50 PL	500	50	1	10030088
T PNK 5 60 PL	600	50	1	10030089
				TC
T PNK 5 5 TC	50	50	1	10020058
T PNK 5 10 TC	100	50	1	10020059
T PNK 5 16 TC	160	50	1	10020060
T PNK 5 20 TC	200	50	1	10020061
T PNK 5 30 TC	300	50	1	10020062
T PNK 5 40 TC	400	50	1	10020063
T PNK 5 50 TC	500	50	1	10020064
T PNK 5 60 TC	600	50	1	10020065

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Račva plus / + Connection module



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
X PNK 5 5 PL	50	50	1	10030090
X PNK 5 10 PL	100	50	1	10030091
X PNK 5 16 PL	160	50	1	10030092
X PNK 5 20 PL	200	50	1	10030093
X PNK 5 30 PL	300	50	1	10030094
X PNK 5 40 PL	400	50	1	10030095
X PNK 5 50 PL	500	50	1	10030096
X PNK 5 60 PL	600	50	1	10030097
				TC
X PNK 5 5 TC	50	50	1	10020066
X PNK 5 10 TC	100	50	1	10020067
X PNK 5 16 TC	160	50	1	10020068
X PNK 5 20 TC	200	50	1	10020069
X PNK 5 30 TC	300	50	1	10020070
X PNK 5 40 TC	400	50	1	10020071
X PNK 5 50 TC	500	50	1	10020072
X PNK 5 60 TC	600	50	1	10020073

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized






Univerzalna vertikalna krivina / Universal vertical curve

H50




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
UVK PNK 5 5 PL	50	50	1	10030098
UVK PNK 5 10 PL	100	50	1	10030099
UVK PNK 5 16 PL	160	50	1	10030100
UVK PNK 5 20 PL	200	50	1	10030101
UVK PNK 5 30 PL	300	50	1	10030102
UVK PNK 5 40 PL	400	50	1	10030103
UVK PNK 5 50 PL	500	50	1	10030104
UVK PNK 5 60 PL	600	50	1	10030105
				TC
UVK PNK 5 5 TC	50	50	1	10020074
UVK PNK 5 10 TC	100	50	1	10020075
UVK PNK 5 16 TC	160	50	1	10020076
UVK PNK 5 20 TC	200	50	1	10020077
UVK PNK 5 30 TC	300	50	1	10020078
UVK PNK 5 40 TC	400	50	1	10020079
UVK PNK 5 50 TC	500	50	1	10020080
UVK PNK 5 60 TC	600	50	1	10020081

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Elementi zglobovno vertikalne krivine / Adjustable vertical bend element




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
EZK PNK 5 10 PL	100	50	1	10030106
EZK PNK 5 16 PL	160	50	1	10030107
EZK PNK 5 20 PL	200	50	1	10030108
EZK PNK 5 30 PL	300	50	1	10030109
EZK PNK 5 40 PL	400	50	1	10030110
EZK PNK 5 50 PL	500	50	1	10030111
EZK PNK 5 60 PL	600	50	1	10030112
				TC
EZK PNK 5 10 TC	100	50	1	10020082
EZK PNK 5 16 TC	160	50	1	10020083
EZK PNK 5 20 TC	200	50	1	10020084
EZK PNK 5 30 TC	300	50	1	10020085
EZK PNK 5 40 TC	400	50	1	10020086
EZK PNK 5 50 TC	500	50	1	10020087
EZK PNK 5 60 TC	600	50	1	10020088

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Zglobno vertikalna krivina / Adjustable vertical bend

H50



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
ZK PNK 5 10 PL	100	50	1	10030113
ZK PNK 5 16 PL	160	50	1	10030114
ZK PNK 5 20 PL	200	50	1	10030115
ZK PNK 5 30 PL	300	50	1	10030116
ZK PNK 5 40 PL	400	50	1	10030117
ZK PNK 5 50 PL	500	50	1	10030118
ZK PNK 5 60 PL	600	50	1	10030119
				TC
ZK PNK 5 10 TC	100	50	1	10020089
ZK PNK 5 16 TC	160	50	1	10020090
ZK PNK 5 20 TC	200	50	1	10020091
ZK PNK 5 30 TC	300	50	1	10020092
ZK PNK 5 40 TC	400	50	1	10020093
ZK PNK 5 50 TC	500	50	1	10020094
ZK PNK 5 60 TC	600	50	1	10020095

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






Nosač kablova PNK / PNK cable trays



H60




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²		kg/m		PL
PNK 6 5 300 PL	50	60	0.75	3000	28	121	80	50	10010300
PNK 6 10 300 PL	100	60	0.75	3000	58	120	78	49	10010005
PNK 6 16 300 PL	160	60	0.75	3000	78	123	79	48	10010010
PNK 6 20 300 PL	200	60	0.75	3000	118	132	77	47	10010015
PNK 6 30 300 PL	300	60	0.75	3000	178	112	78	42	10010020
PNK 6 40 300 PL	400	60	0.75	3000	238	153	123	69	10010024
PNK 6 50 300 PL	500	60	1	3000	298	156	125	62	10010028
PNK 6 60 300 PL	600	60	1	3000	358	158	128	62	10010029
PNK 6 5 200 PL	50	60	0.75	2000	28	121	80	50	10010283
PNK 6 10 200 PL	100	60	0.75	2000	58	121	80	50	10010284
PNK 6 16 200 PL	160	60	0.75	2000	78	123	79	48	10010285
PNK 6 20 200 PL	200	60	0.75	2000	118	132	77	47	10010286
PNK 6 30 200 PL	300	60	0.75	2000	178	112	78	42	10010287
PNK 6 40 200 PL	400	60	0.75	2000	238	153	123	69	10010288
PNK 6 50 200 PL	500	60	1	2000	298	156	125	62	10010289
PNK 6 60 200 PL	600	60	1	2000	358	158	128	62	10010290
PNK 6 5 300 TC	50	60	0.8	3000	28	121	80	50	10820000
PNK 6 10 300 TC	100	60	0.8	3000	58	120	78	49	10820001
PNK 6 16 300 TC	160	60	0.8	3000	78	123	79	48	10820002
PNK 6 20 300 TC	200	60	0.8	3000	118	132	77	47	10820003
PNK 6 30 300 TC	300	60	0.8	3000	178	112	78	42	10820004
PNK 6 40 300 TC	400	60	0.8	3000	238	153	123	69	10820005
PNK 6 50 300 TC	500	60	1	3000	298	156	125	62	10820006
PNK 6 60 300 TC	600	60	1	3000	358	158	128	62	10820007

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Nosač kablova PNK / PNK cable trays



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²		kg/m		PL
PNK 6 10 600 PL	100	60	0.75	6000	58	120	78	49	10610012
PNK 6 16 600 PL	160	60	0.75	6000	78	123	79	48	10610013
PNK 6 20 600 PL	200	60	0.75	6000	118	132	77	47	10610013
PNK 6 30 600 PL	300	60	0.75	6000	178	112	78	42	10610014

PL Pocinkovani lim / Galvanized sheet


Nosač kablova SNK / SNK cable trays



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
SNK 6 5 300 PL	50	60	1	3000	28	119	80	49	10070016
SNK 6 10 300 PL	100	60	1	3000	58	121	80	50	10070017
SNK 6 16 300 PL	160	60	1	3000	78	122	79	48	10070018
SNK 6 20 300 PL	200	60	1	3000	118	132	77	47	10070019
SNK 6 30 300 PL	300	60	1	3000	178	112	78	42	10070020
SNK 6 40 300 PL	400	60	1	3000	238	153	123	69	10070021
SNK 6 50 300 PL	500	60	1	3000	298	156	125	62	10070022
SNK 6 60 300 PL	600	60	1	3000	358	158	128	62	10070023
									PL
SNK 6 5 200 PL	50	60	1	2000	28	119	80	49	10070024
SNK 6 10 200 PL	100	60	1	2000	58	121	80	50	10070025
SNK 6 16 200 PL	160	60	1	2000	78	122	79	48	10070026
SNK 6 20 200 PL	200	60	1	2000	118	132	77	47	10070027
SNK 6 30 200 PL	300	60	1	2000	178	112	78	42	10070028
SNK 6 40 200 PL	400	60	1	2000	238	153	123	69	10070029
SNK 6 50 200 PL	500	60	1	2000	298	156	125	62	10070030
SNK 6 60 200 PL	600	60	1	2000	358	158	128	62	10070031
									TC
SNK 6 5 300 TC	50	60	1	3000	28	119	80	49	10020096
SNK 6 10 300 TC	100	60	1	3000	58	121	80	50	10020097
SNK 6 16 300 TC	160	60	1	3000	78	122	79	48	10020098
SNK 6 20 300 TC	200	60	1	3000	118	132	77	47	10020099
SNK 6 30 300 TC	300	60	1	3000	178	112	78	42	10020100
SNK 6 40 300 TC	400	60	1	3000	238	153	123	69	10020101

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized



PNK




Nosač kablova VNK / VNK cable trays



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
VNK 6 5 300 PL	50	60	1.5	3000	28	152	103	53	10080008
VNK 6 10 300 PL	100	60	1.5	3000	58	150	101	51	10080009
VNK 6 16 300 PL	160	60	1.5	3000	78	153	100	48	10080010
VNK 6 20 300 PL	200	60	1.5	3000	118	148	96	49	10080011
VNK 6 30 300 PL	300	60	1.5	3000	178	144	94	47	10080012
VNK 6 40 300 PL	400	60	1.5	3000	238	146	95	48	10080013
VNK 6 50 300 PL	500	60	1.5	3000	298	144	93	50	10080014
VNK 6 60 300 PL	600	60	1.5	3000	358	147	96	52	10080015
									TC
VNK 6 5 300 TC	50	60	1.5	3000	28	152	103	53	10020102
VNK 6 10 300 TC	100	60	1.5	3000	58	150	101	51	10020103
VNK 6 16 300 TC	160	60	1.5	3000	78	153	100	48	10020104
VNK 6 20 300 TC	200	60	1.5	3000	118	148	96	49	10020105
VNK 6 30 300 TC	300	60	1.5	3000	178	144	94	47	10020106
VNK 6 40 300 TC	400	60	1.5	3000	238	146	95	48	10020107
VNK 6 50 300 TC	500	60	1.5	3000	298	144	93	50	10020108
VNK 6 60 300 TC	600	60	1.5	3000	358	147	96	52	10020109


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Nosač kablova PNKP / PNKP cable trays


**H60**

Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²		kg/m		PL
PNKP 6 10 300 PL	100	60	0.75	3000	58	110	78	46	10040013
PNKP 6 20 300 PL	200	60	0.75	3000	118	102	75	48	10040014
PNKP 6 30 300 PL	300	60	0.75	3000	178	100	74	44	10040015

PL Pocinkovani lim / Galvanized sheet



Nosač kablova SNKP / SNKP cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²		kg/m		PL
SNKP 6 5 300 PL	50	60	1	3000	28	156	104	56	10040016
SNKP 6 10 300 PL	100	60	1	3000	58	152	101	55	10040017
SNKP 6 16 300 PL	160	60	1	3000	78	150	99	53	10040018
SNKP 6 20 300 PL	200	60	1	3000	118	146	98	47	10040019
SNKP 6 30 300 PL	300	60	1	3000	178	144	97	45	10040020
SNKP 6 40 300 PL	400	60	1	3000	238	138	89	42	10040021
SNKP 6 50 300 PL	500	60	1	3000	298	136	87	38	10040022
SNKP 6 60 300 PL	600	60	1	3000	358	132	81	32	10040023
									TC
SNKP 6 5 300 TC	50	60	1	3000	28	156	104	56	10020110
SNKP 6 10 300 TC	100	60	1	3000	58	152	101	55	10020111
SNKP 6 16 300 TC	160	60	1	3000	78	150	99	53	10020112
SNKP 6 20 300 TC	200	60	1	3000	118	146	98	47	10020113
SNKP 6 30 300 TC	300	60	1	3000	178	144	97	45	10020114
SNKP 6 40 300 TC	400	60	1	3000	238	138	89	42	10020115
SNKP 6 50 300 TC	500	60	1	3000	298	136	87	38	10020116
SNKP 6 60 300 TC	600	60	1	3000	358	132	81	32	10020117

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Pregrada / Divider



Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
P PNK 60 PL	60	3000	10	10030120
P PNK 60 TC	60	3000	10	10020118


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Bočna spojnica / Straight connector

H60




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
S PNK 60 PL	60	50	PL 10030121
S PNK 60 TC	60	50	TC 10020119

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Lomljiva spojnica / Angle connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 60 PL	60	50	PL 10030122
LS PNK 60 TC	60	50	TC 10020120

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Zglobna spojnica / Adjustable connector



Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 60 PL	60	50	PL 10030123
ZS PNK 60 TC	60	50	TC 10020121

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized






Ugradna račva / Add-one tee

H60




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
UR PNK 6 5 PL	50	60	1	10030124
UR PNK 6 10 PL	100	60	1	10030125
UR PNK 6 16 PL	160	60	1	10030126
UR PNK 6 20 PL	200	60	1	10030127
UR PNK 6 30 PL	300	60	1	10030128
UR PNK 6 40 PL	400	60	1	10030129
UR PNK 6 50 PL	500	60	1	10030130
UR PNK 6 60 PL	600	60	1	10030131
				TC
UR PNK 6 5 TC	50	60	1	10020122
UR PNK 6 10 TC	100	60	1	10020123
UR PNK 6 16 TC	160	60	1	10020124
UR PNK 6 20 TC	200	60	1	10020125
UR PNK 6 30 TC	300	60	1	10020126
UR PNK 6 40 TC	400	60	1	10020127
UR PNK 6 50 TC	500	60	1	10020128
UR PNK 6 60 TC	600	60	1	10020129

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Krivina 45° / Bend 45°




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
K45 PNK 6 5 PL	50	60	1	10030132
K45 PNK 6 10 PL	100	60	1	10030133
K45 PNK 6 16 PL	160	60	1	10030134
K45 PNK 6 20 PL	200	60	1	10030135
K45 PNK 6 30 PL	300	60	1	10030136
K45 PNK 6 40 PL	400	60	1	10030137
K45 PNK 6 50 PL	500	60	1	10030138
K45 PNK 6 60 PL	600	60	1	10030139
				TC
K45 PNK 6 5 TC	50	60	1	10020130
K45 PNK 6 10 TC	100	60	1	10020131
K45 PNK 6 16 TC	160	60	1	10020132
K45 PNK 6 20 TC	200	60	1	10020133
K45 PNK 6 30 TC	300	60	1	10020134
K45 PNK 6 40 TC	400	60	1	10020135
K45 PNK 6 50 TC	500	60	1	10020136
K45 PNK 6 60 TC	600	60	1	10020137

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Krivina 90° / Bend 90°


H60




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
L PNK 6 5 PL	50	60	1	10030140
L PNK 6 10 PL	100	60	1	10030141
L PNK 6 16 PL	160	60	1	10030142
L PNK 6 20 PL	200	60	1	10030143
L PNK 6 30 PL	300	60	1	10030144
L PNK 6 40 PL	400	60	1	10030145
L PNK 6 50 PL	500	60	1	10030146
L PNK 6 60 PL	600	60	1	10030147
				TC
L PNK 6 5 TC	50	60	1	10020138
L PNK 6 10 TC	100	60	1	10020139
L PNK 6 16 TC	160	60	1	10020140
L PNK 6 20 TC	200	60	1	10020141
L PNK 6 30 TC	300	60	1	10020142
L PNK 6 40 TC	400	60	1	10020143
L PNK 6 50 TC	500	60	1	10020144
L PNK 6 60 TC	600	60	1	10020145

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Ugaona spojnica / Corner connector



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
US PNK 6 5 PL	50	60	1	10030148
US PNK 6 10 PL	100	60	1	10030149
US PNK 6 16 PL	160	60	1	10030150
US PNK 6 20 PL	200	60	1	10030151
US PNK 6 30 PL	300	60	1	10030152
US PNK 6 40 PL	400	60	1	10030153
US PNK 6 50 PL	500	60	1	10030154
US PNK 6 60 PL	600	60	1	10030155
				TC
US PNK 6 5 TC	50	60	1	10020146
US PNK 6 10 TC	100	60	1	10020147
US PNK 6 16 TC	160	60	1	10020148
US PNK 6 20 TC	200	60	1	10020149
US PNK 6 30 TC	300	60	1	10020150
US PNK 6 40 TC	400	60	1	10020151
US PNK 6 50 TC	500	60	1	10020152
US PNK 6 60 TC	600	60	1	10020153

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





T račva / T Module

H60




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
T PNK 6 5 PL	50	60	1	10030156
T PNK 6 10 PL	100	60	1	10030157
T PNK 6 16 PL	160	60	1	10030158
T PNK 6 20 PL	200	60	1	10030159
T PNK 6 30 PL	300	60	1	10030160
T PNK 6 40 PL	400	60	1	10030161
T PNK 6 50 PL	500	60	1	10030162
T PNK 6 60 PL	600	60	1	10030163
				TC
T PNK 6 5 TC	50	60	1	10020154
T PNK 6 10 TC	100	60	1	10020155
T PNK 6 16 TC	160	60	1	10020156
T PNK 6 20 TC	200	60	1	10020157
T PNK 6 30 TC	300	60	1	10020158
T PNK 6 40 TC	400	60	1	10020159
T PNK 6 50 TC	500	60	1	10020160
T PNK 6 60 TC	600	60	1	10020161

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Račva plus / + Connection module




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
X PNK 6 5 PL	50	60	1	10030164
X PNK 6 10 PL	100	60	1	10030165
X PNK 6 16 PL	160	60	1	10030166
X PNK 6 20 PL	200	60	1	10030167
X PNK 6 30 PL	300	60	1	10030168
X PNK 6 40 PL	400	60	1	10030169
X PNK 6 50 PL	500	60	1	10030170
X PNK 6 60 PL	600	60	1	10030171
				TC
X PNK 6 5 TC	50	60	1	10020162
X PNK 6 10 TC	100	60	1	10020163
X PNK 6 16 TC	160	60	1	10020164
X PNK 6 20 TC	200	60	1	10020165
X PNK 6 30 TC	300	60	1	10020166
X PNK 6 40 TC	400	60	1	10020167
X PNK 6 50 TC	500	60	1	10020168
X PNK 6 60 TC	600	60	1	10020169

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Univerzalna vertikalna krivina / Universal vertical curve


H60




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
UVK PNK 6 5 PL	50	60	1	10030172
UVK PNK 6 10 PL	100	60	1	10030173
UVK PNK 6 16 PL	160	60	1	10030174
UVK PNK 6 20 PL	200	60	1	10030175
UVK PNK 6 30 PL	300	60	1	10030176
UVK PNK 6 40 PL	400	60	1	10030177
UVK PNK 6 50 PL	500	60	1	10030178
UVK PNK 6 60 PL	600	60	1	10030179
				TC
UVK PNK 6 5 TC	50	60	1	10020170
UVK PNK 6 10 TC	100	60	1	10020171
UVK PNK 6 16 TC	160	60	1	10020172
UVK PNK 6 20 TC	200	60	1	10020173
UVK PNK 6 30 TC	300	60	1	10020174
UVK PNK 6 40 TC	400	60	1	10020175
UVK PNK 6 50 TC	500	60	1	10020176
UVK PNK 6 60 TC	600	60	1	10020177

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Elementi zglobno vertikalne krivine / Adjustable vertical bend element



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
EZK PNK 6 5 PL	50	60	1	10030180
EZK PNK 6 10 PL	100	60	1	10030181
EZK PNK 6 16 PL	160	60	1	10030182
EZK PNK 6 20 PL	200	60	1	10030183
EZK PNK 6 30 PL	300	60	1	10030184
EZK PNK 6 40 PL	400	60	1	10030185
EZK PNK 6 50 PL	500	60	1	10030186
EZK PNK 6 60 PL	600	60	1	10030187
				TC
EZK PNK 6 5 TC	50	60	1	10020178
EZK PNK 6 10 TC	100	60	1	10020179
EZK PNK 6 16 TC	160	60	1	10020180
EZK PNK 6 20 TC	200	60	1	10020181
EZK PNK 6 30 TC	300	60	1	10020182
EZK PNK 6 40 TC	400	60	1	10020183
EZK PNK 6 50 TC	500	60	1	10020184
EZK PNK 6 60 TC	600	60	1	10020185


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Zglobno vertikalna krivina / Adjustable vertical bend

H60


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
ZK PNK 6 10 PL	100	60	1	10030188
ZK PNK 6 16 PL	160	60	1	10030189
ZK PNK 6 20 PL	200	60	1	10030190
ZK PNK 6 30 PL	300	60	1	10030191
ZK PNK 6 40 PL	400	60	1	10030192
ZK PNK 6 50 PL	500	60	1	10030193
ZK PNK 6 60 PL	600	60	1	10030194
				TC
ZK PNK 6 10 TC	100	60	1	10020186
ZK PNK 6 16 TC	160	60	1	10020187
ZK PNK 6 20 TC	200	60	1	10020188
ZK PNK 6 30 TC	300	60	1	10020189
ZK PNK 6 40 TC	400	60	1	10020190
ZK PNK 6 50 TC	500	60	1	10020191
ZK PNK 6 60 TC	600	60	1	10020192

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Nosač kablova PNK / PNK cable trays

H75




Tip Typ	Širina Width b	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
PNK 7 10 300 PL	100	75	0.75	3000	70	175	118	56	17530315
PNK 7 16 300 PL	160	75	0.75	3000	110	176	120	50	17530316
PNK 7 20 300 PL	200	75	0.75	3000	140	177	121	53	17530317
PNK 7 30 300 PL	300	75	0.75	3000	210	175	109	49	17530318
PNK 7 40 300 PL	400	75	0.75	3000	280	182	108	49	17530319
PNK 7 50 300 PL	500	75	1	3000	350	181	112	52	17530320
PNK 7 60 300 PL	600	75	1	3000	420	178	111	52	17530321
									TC
PNK 7 10 300 TC	100	75	0.8	3000	70	175	118	56	175230315
PNK 7 16 300 TC	160	75	0.8	3000	110	176	120	50	175230316
PNK 7 20 300 TC	200	75	0.8	3000	140	177	121	53	175230317
PNK 7 30 300 TC	300	75	0.8	3000	210	175	109	49	175230318
PNK 7 40 300 TC	400	75	0.8	3000	280	182	108	49	175230319
PNK 7 50 300 TC	500	75	1	3000	350	181	112	52	175230320
PNK 7 60 300 TC	600	75	1	3000	420	178	111	52	175230321

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Nosač kablova SNK / SNK cable trays




Tip Typ	Širina Width b	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
SNK 7 10 300 PL	100	75	1	3000	70	183	124	58	10030315
SNK 7 16 300 PL	160	75	1	3000	110	184	126	52	10030316
SNK 7 20 300 PL	200	75	1	3000	140	185	127	55	10030317
SNK 7 30 300 PL	300	75	1	3000	210	183	114	51	10030318
SNK 7 40 300 PL	400	75	1	3000	280	191	113	51	10030319
SNK 7 50 300 PL	500	75	1	3000	350	181	112	52	10030320
SNK 7 60 300 PL	600	75	1	3000	420	178	111	52	10030321
									TC
SNK 7 10 300 TC	100	75	1	3000	70	183	124	58	10020415
SNK 7 16 300 TC	160	75	1	3000	110	184	126	52	10020416
SNK 7 20 300 TC	200	75	1	3000	140	185	127	55	10020417
SNK 7 30 300 TC	300	75	1	3000	210	183	114	51	10020418
SNK 7 40 300 TC	400	75	1	3000	280	191	113	51	10020419
SNK 7 50 300 TC	500	75	1	3000	350	181	112	52	10020420
SNK 7 60 300 TC	600	75	1	3000	420	178	111	52	10020421

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Nosač kablova VNK / VNK cable trays



Tip Typ	Širina Width b	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
VNK 7 10 300 PL	100	75	1.5	3000	70	280	225	152	10030322
VNK 7 16 300 PL	160	75	1.5	3000	110	277	222	150	10030323
VNK 7 20 300 PL	200	75	1.5	3000	140	274	223	148	10030324
VNK 7 30 300 PL	300	75	1.5	3000	210	270	228	144	10030325
VNK 7 40 300 PL	400	75	1.5	3000	280	272	230	145	10030326
VNK 7 50 300 PL	500	75	1.5	3000	350	275	224	147	10030327
VNK 7 60 300 PL	600	75	1.5	3000	420	273	221	140	10030328
									TC
VNK 7 10 300 PL	100	75	1.5	3000	70	280	225	152	10020341
VNK 7 16 300 PL	160	75	1.5	3000	110	277	222	150	10020342
VNK 7 20 300 PL	200	75	1.5	3000	140	274	223	148	10020343
VNK 7 30 300 PL	300	75	1.5	3000	210	270	228	144	10020344
VNK 7 40 300 PL	400	75	1.5	3000	280	272	230	145	10020345
VNK 7 50 300 PL	500	75	1.5	3000	350	275	224	147	10020346
VNK 7 60 300 PL	600	75	1.5	3000	420	273	221	140	10020347

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






Nosač kablova SNKP / SNKP cable trays



H75




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²		kg/m		PL
SNKP 7 10 300 PL	100	75	1	3000	70	175	118	56	10030329
SNKP 7 16 300 PL	160	75	1	3000	110	177	121	53	10030330
SNKP 7 20 300 PL	200	75	1	3000	140	177	121	53	10030331
SNKP 7 30 300 PL	300	75	1	3000	210	175	109	49	10030332
SNKP 7 40 300 PL	400	75	1	3000	280	182	108	49	10030333
SNKP 7 50 300 PL	500	75	1	3000	350	181	112	52	10030334
SNKP 7 60 300 PL	600	75	1	3000	420	178	111	52	10030335

PL Pocinkovani lim / Galvanized sheet



Nosač kablova VNKP / VNKP cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²		kg/m		PL
VNKP 7 10 300 PL	100	75	1.5	3000	70	280	225	152	10030336
VNKP 7 16 300 PL	160	75	1.5	3000	110	277	222	150	10030337
VNKP 7 20 300 PL	200	75	1.5	3000	140	274	223	148	10030338
VNKP 7 30 300 PL	300	75	1.5	3000	210	270	228	144	10030339
VNKP 7 40 300 PL	400	75	1.5	3000	280	272	230	145	10030340
VNKP 7 50 300 PL	500	75	1.5	3000	350	275	224	147	10030341
VNKP 7 60 300 PL	600	75	1.5	3000	420	273	221	140	10030342
									TC
VNKP 7 10 300 TC	100	75	1.5	3000	70	280	225	152	10020348
VNKP 7 16 300 TC	160	75	1.5	3000	110	277	222	150	10020349
VNKP 7 20 300 TC	200	75	1.5	3000	140	274	223	148	10020350
VNKP 7 30 300 TC	300	75	1.5	3000	210	270	228	144	10020351
VNKP 7 40 300 TC	400	75	1.5	3000	280	272	230	145	10020352
VNKP 7 50 300 TC	500	75	1.5	3000	350	275	224	147	10020353
VNKP 7 60 300 TC	600	75	1.5	3000	420	273	221	140	10020354

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Pregrada / Divider



Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
P PNK 75 PL	75	3000	10	10030343
P PNK 75 TC	75	3000	10	10020355


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Bočna spojnica / Straight connector


H75




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
S PNK 75 PL	75	50	PL 10030344
S PNK 75 TC	75	50	TC 10020356

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Lomljiva spojnica / Angle connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 75 PL	75	50	PL 10030345
LS PNK 75 TC	75	50	TC 10020357

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Zglobna spojnica / Adjustable connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 75 PL	75	50	PL 10030346
ZS PNK 75 TC	75	50	TC 10020358

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Ugradna račva / Add-one tee



Tip Typ	Širina Width b	Visina Height	Debljina Thickness	Šifra artikla Article
UR PNK 7 10 PL	100	75	1	PL 10030347
UR PNK 7 16 PL	160	75	1	10030348
UR PNK 7 20 PL	200	75	1	10030349
UR PNK 7 30 PL	300	75	1	10030350
UR PNK 7 40 PL	400	75	1	10030351
UR PNK 7 50 PL	500	75	1	10030352
UR PNK 7 60 PL	600	75	1	10030353
UR PNK 7 10 TC	100	75	1	TC 10020359
UR PNK 7 16 TC	160	75	1	10020360
UR PNK 7 20 TC	200	75	1	10020361
UR PNK 7 30 TC	300	75	1	10020362
UR PNK 7 40 TC	400	75	1	10020363
UR PNK 7 50 TC	500	75	1	10020364
UR PNK 7 60 TC	600	75	1	10020365

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Krivina 45° / Bend 45°

H75




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
				PL
K45 PNK 7 10 PL	100	75	1	10030354
K45 PNK 7 16 PL	160	75	1	10030355
K45 PNK 7 20 PL	200	75	1	10030356
K45 PNK 7 30 PL	300	75	1	10030357
K45 PNK 7 40 PL	400	75	1	10030358
K45 PNK 7 50 PL	500	75	1	10030359
K45 PNK 7 60 PL	600	75	1	10030360
				TC
K45 PNK 7 10 TC	100	75	1	10020366
K45 PNK 7 16 TC	160	75	1	10020367
K45 PNK 7 20 TC	200	75	1	10020368
K45 PNK 7 30 TC	300	75	1	10020369
K45 PNK 7 40 TC	400	75	1	10020370
K45 PNK 7 50 TC	500	75	1	10020371
K45 PNK 7 60 TC	600	75	1	10020372

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Krivina 90° / Bend 90°




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
				PL
L PNK 7 10 PL	100	75	1	10030361
L PNK 7 16 PL	160	75	1	10030362
L PNK 7 20 PL	200	75	1	10030363
L PNK 7 30 PL	300	75	1	10030364
L PNK 7 40 PL	400	75	1	10030365
L PNK 7 50 PL	500	75	1	10030366
L PNK 7 60 PL	600	75	1	10030367
				TC
L PNK 7 10 TC	100	75	1	10020373
L PNK 7 16 TC	160	75	1	10020374
L PNK 7 20 TC	200	75	1	10020375
L PNK 7 30 TC	300	75	1	10020376
L PNK 7 40 TC	400	75	1	10020377
L PNK 7 50 TC	500	75	1	10020378
L PNK 7 60 TC	600	75	1	10020379

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Ugaona spojnica / Corner connector



Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
				PL
US PNK 7 10 PL	100	75	1	10030368
US PNK 7 16 PL	160	75	1	10030369
US PNK 7 20 PL	200	75	1	10030370
US PNK 7 30 PL	300	75	1	10030371
US PNK 7 40 PL	400	75	1	10030372
US PNK 7 50 PL	500	75	1	10030373
US PNK 7 60 PL	600	75	1	10030374
				TC
US PNK 7 10 TC	100	75	1	10020380
US PNK 7 16 TC	160	75	1	10020381
US PNK 7 20 TC	200	75	1	10020382
US PNK 7 30 TC	300	75	1	10020383
US PNK 7 40 TC	400	75	1	10020384
US PNK 7 50 TC	500	75	1	10020385
US PNK 7 60 TC	600	75	1	10020386


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



T račva / T Module


H75




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
				PL
T PNK 7 10 PL	100	75	1	10030375
T PNK 7 16 PL	160	75	1	10030376
T PNK 7 20 PL	200	75	1	10030377
T PNK 7 30 PL	300	75	1	10030378
T PNK 7 40 PL	400	75	1	10030379
T PNK 7 50 PL	500	75	1	10030380
T PNK 7 60 PL	600	75	1	10030381
				TC
T PNK 7 10 TC	100	75	1	10020387
T PNK 7 16 TC	160	75	1	10020388
T PNK 7 20 TC	200	75	1	10020389
T PNK 7 30 TC	300	75	1	10020390
T PNK 7 40 TC	400	75	1	10020391
T PNK 7 50 TC	500	75	1	10020392
T PNK 7 60 TC	600	75	1	10020393

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Račva plus / + Connection module




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
				PL
X PNK 7 10 PL	100	75	1	10030382
X PNK 7 16 PL	160	75	1	10030383
X PNK 7 20 PL	200	75	1	10030384
X PNK 7 30 PL	300	75	1	10030385
X PNK 7 40 PL	400	75	1	10030386
X PNK 7 50 PL	500	75	1	10030387
X PNK 7 60 PL	600	75	1	10030388
				TC
X PNK 7 10 TC	100	75	1	10020394
X PNK 7 16 TC	160	75	1	10020395
X PNK 7 20 TC	200	75	1	10020396
X PNK 7 30 TC	300	75	1	10020397
X PNK 7 40 TC	400	75	1	10020398
X PNK 7 50 TC	500	75	1	10020399
X PNK 7 60 TC	600	75	1	10020400

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Elementi zglobno vertikalne krivine / Adjustable vertical bend element



Tip Typ	Širina Width mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
				PL
EZK PNK 7 10 PL	100	75	1	10030389
EZK PNK 7 16 PL	160	75	1	10030390
EZK PNK 7 20 PL	200	75	1	10030391
EZK PNK 7 30 PL	300	75	1	10030392
EZK PNK 7 40 PL	400	75	1	10030393
EZK PNK 7 50 PL	500	75	1	10030394
EZK PNK 7 60 PL	600	75	1	10030395
				TC
EZK PNK 7 10 TC	100	75	1	10020401
EZK PNK 7 16 TC	160	75	1	10020402
EZK PNK 7 20 TC	200	75	1	10020403
EZK PNK 7 30 TC	300	75	1	10020404
EZK PNK 7 40 TC	400	75	1	10020405
EZK PNK 7 50 TC	500	75	1	10020406
EZK PNK 7 60 TC	600	75	1	10020407

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Zglobno vertikalna krivina / Adjustable vertical bend

H75




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
ZK PNK 7 10 PL	100	75	1	10030396
ZK PNK 7 16 PL	160	75	1	10030397
ZK PNK 7 20 PL	200	75	1	10030398
ZK PNK 7 30 PL	300	75	1	10030399
ZK PNK 7 40 PL	400	75	1	10030400
ZK PNK 7 50 PL	500	75	1	10030401
ZK PNK 7 60 PL	600	75	1	10030402
				TC
ZK PNK 7 10 TC	100	75	1	10020408
ZK PNK 7 16 TC	160	75	1	10020409
ZK PNK 7 20 TC	200	75	1	10020410
ZK PNK 7 30 TC	300	75	1	10020411
ZK PNK 7 40 TC	400	75	1	10020412
ZK PNK 7 50 TC	500	75	1	10020413
ZK PNK 7 60 TC	600	75	1	10020414

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Nosač kablova PNK / PNK cable trays

H85




Tip Typ	Širina Width b	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
PNK 8 10 300 PL	100	85	0.75	3000	80	175	118	56	17570032
PNK 8 16 300 PL	160	85	0.75	3000	130	176	120	50	17570033
PNK 8 20 300 PL	200	85	0.75	3000	160	177	121	53	17570034
PNK 8 30 300 PL	300	85	0.75	3000	240	175	109	49	17570035
PNK 8 40 300 PL	400	85	0.75	3000	320	182	108	49	17570036
PNK 8 50 300 PL	500	85	1	3000	400	181	112	52	17570037
PNK 8 60 300 PL	600	85	1	3000	480	178	111	52	17570038
									TC
PNK 8 10 300 TC	100	85	0.8	3000	80	175	118	56	10270032
PNK 8 16 300 TC	160	85	0.8	3000	130	176	120	50	10270033
PNK 8 20 300 TC	200	85	0.8	3000	160	177	121	53	10270034
PNK 8 30 300 TC	300	85	0.8	3000	240	175	109	49	10270035
PNK 8 40 300 TC	400	85	0.8	3000	320	182	108	49	10270036
PNK 8 50 300 TC	500	85	1	3000	400	181	112	52	10270037
PNK 8 60 300 TC	600	85	1	3000	480	178	111	52	10270038

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Nosač kablova SNK / SNK cable trays




Tip Typ	Širina Width b	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
SNK 8 10 300 PL	100	85	1	3000	80	183	124	58	10070032
SNK 8 16 300 PL	160	85	1	3000	130	184	126	52	10070033
SNK 8 20 300 PL	200	85	1	3000	160	185	127	55	10070034
SNK 8 30 300 PL	300	85	1	3000	240	183	114	51	10070035
SNK 8 40 300 PL	400	85	1	3000	320	191	113	51	10070036
SNK 8 50 300 PL	500	85	1	3000	400	181	112	52	10070037
SNK 8 60 300 PL	600	85	1	3000	480	178	111	52	10070038
									TC
SNK 8 10 300 TC	100	85	1	3000	80	183	124	58	12270032
SNK 8 16 300 TC	160	85	1	3000	130	184	126	52	12270033
SNK 8 20 300 TC	200	85	1	3000	160	185	127	55	12270034
SNK 8 30 300 TC	300	85	1	3000	240	183	114	51	12270035
SNK 8 40 300 TC	400	85	1	3000	320	191	113	51	12270036
SNK 8 50 300 TC	500	85	1	3000	400	181	112	52	12270037
SNK 8 60 300 TC	600	85	1	3000	480	178	111	52	12270038

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Nosač kablova VNK / VNK cable trays



Tip Typ	Širina Width b	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
VNK 8 10 300 PL	100	85	1.5	3000	80	280	225	152	10080016
VNK 8 16 300 PL	160	85	1.5	3000	130	277	222	150	10080017
VNK 8 20 300 PL	200	85	1.5	3000	160	274	223	148	10080018
VNK 8 30 300 PL	300	85	1.5	3000	240	270	228	144	10080019
VNK 8 40 300 PL	400	85	1.5	3000	320	272	230	145	10080020
VNK 8 50 300 PL	500	85	1.5	3000	400	275	224	147	10080021
VNK 8 60 300 PL	600	85	1.5	3000	480	273	221	140	10080022
									TC
VNK 8 10 200 PL	100	85	1.5	3000	80	280	225	152	10020193
VNK 8 16 200 PL	160	85	1.5	3000	130	277	222	150	10020194
VNK 8 20 200 PL	200	85	1.5	3000	160	274	223	148	10020195
VNK 8 30 200 PL	300	85	1.5	3000	240	270	228	144	10020196
VNK 8 40 200 PL	400	85	1.5	3000	320	272	230	145	10020197
VNK 8 50 200 PL	500	85	1.5	3000	400	275	224	147	10020198
VNK 8 60 200 PL	600	85	1.5	3000	480	273	221	140	10020199

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






Nosač kablova SNKP / SNKP cable trays




H85




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm²		kg/m		PL
SNKP 8 10 300 PL	100	85	1	3000	80	175	118	56	10040024
SNKP 8 16 300 PL	160	85	1	3000	130	177	121	53	10040025
SNKP 8 20 300 PL	200	85	1	3000	160	177	121	53	10040026
SNKP 8 30 300 PL	300	85	1	3000	240	175	109	49	10040027
SNKP 8 40 300 PL	400	85	1	3000	320	182	108	49	10040028
SNKP 8 50 300 PL	500	85	1	3000	400	181	112	52	10040029
SNKP 8 60 300 PL	600	85	1	3000	480	178	111	52	10040030

PL Pocinkovani lim / Galvanized sheet




Nosač kablova VNKP / VNKP cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm²		kg/m		PL
VNKP 8 10 300 PL	100	85	1.5	3000	80	280	225	152	10040031
VNKP 8 16 300 PL	160	85	1.5	3000	130	277	222	150	10040032
VNKP 8 20 300 PL	200	85	1.5	3000	160	274	223	148	10040033
VNKP 8 30 300 PL	300	85	1.5	3000	240	270	228	144	10040034
VNKP 8 40 300 PL	400	85	1.5	3000	320	272	230	145	10040035
VNKP 8 50 300 PL	500	85	1.5	3000	400	275	224	147	10040036
VNKP 8 60 300 PL	600	85	1.5	3000	480	273	221	140	10040037
									TC
VNKP 8 10 300 TC	100	85	1.5	3000	80	280	225	152	10020200
VNKP 8 16 300 TC	160	85	1.5	3000	130	277	222	150	10020201
VNKP 8 20 300 TC	200	85	1.5	3000	160	274	223	148	10020202
VNKP 8 30 300 TC	300	85	1.5	3000	240	270	228	144	10020203
VNKP 8 40 300 TC	400	85	1.5	3000	320	272	230	145	10020204
VNKP 8 50 300 TC	500	85	1.5	3000	400	275	224	147	10020205
VNKP 8 60 300 TC	600	85	1.5	3000	480	273	221	140	10020206

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Pregrada / Divider



Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
P PNK 85 PL	85	3000	10	10030195
P PNK 85 TC	85	3000	10	10020207


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Bočna spojnica / Straight connector


H85




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
S PNK 85 PL	85	50	PL 10030196
S PNK 85 TC	85	50	TC 10020208

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Lomljiva spojnica / Angle connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 85 PL	85	50	PL 10030197
LS PNK 85 TC	85	50	TC 10020209

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Zglobna spojnica / Adjustable connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 85 PL	85	50	PL 10030198
ZS PNK 85 TC	85	50	TC 10020210

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Ugradna račva / Add-one tee



Tip Typ	Širina Width b	Visina Height	Debljina Thickness	Šifra artikla Article
UR PNK 8 10 PL	100	85	1	PL 10030199
UR PNK 8 16 PL	160	85	1	10030200
UR PNK 8 20 PL	200	85	1	10030201
UR PNK 8 30 PL	300	85	1	10030202
UR PNK 8 40 PL	400	85	1	10030203
UR PNK 8 50 PL	500	85	1	10030204
UR PNK 8 60 PL	600	85	1	10030205
UR PNK 8 10 TC	100	85	1	TC 10020211
UR PNK 8 16 TC	160	85	1	10020212
UR PNK 8 20 TC	200	85	1	10020213
UR PNK 8 30 TC	300	85	1	10020214
UR PNK 8 40 TC	400	85	1	10020215
UR PNK 8 50 TC	500	85	1	10020216
UR PNK 8 60 TC	600	85	1	10020217

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Krivina 45° / Bend 45°

H85




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
				PL
K45 PNK 8 10 PL	100	85	1	10030206
K45 PNK 8 16 PL	160	85	1	10030207
K45 PNK 8 20 PL	200	85	1	10030208
K45 PNK 8 30 PL	300	85	1	10030209
K45 PNK 8 40 PL	400	85	1	10030210
K45 PNK 8 50 PL	500	85	1	10030211
K45 PNK 8 60 PL	600	85	1	10030212
				TC
K45 PNK 8 10 TC	100	85	1	10020218
K45 PNK 8 16 TC	160	85	1	10020219
K45 PNK 8 20 TC	200	85	1	10020220
K45 PNK 8 30 TC	300	85	1	10020221
K45 PNK 8 40 TC	400	85	1	10020222
K45 PNK 8 50 TC	500	85	1	10020223
K45 PNK 8 60 TC	600	85	1	10020224

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Krivina 90° / Bend 90°




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
				PL
L PNK 8 10 PL	100	85	1	10030213
L PNK 8 16 PL	160	85	1	10030214
L PNK 8 20 PL	200	85	1	10030215
L PNK 8 30 PL	300	85	1	10030216
L PNK 8 40 PL	400	85	1	10030217
L PNK 8 50 PL	500	85	1	10030218
L PNK 8 60 PL	600	85	1	10030219
				TC
L PNK 8 10 TC	100	85	1	10020225
L PNK 8 16 TC	160	85	1	10020226
L PNK 8 20 TC	200	85	1	10020227
L PNK 8 30 TC	300	85	1	10020228
L PNK 8 40 TC	400	85	1	10020229
L PNK 8 50 TC	500	85	1	10020230
L PNK 8 60 TC	600	85	1	10020231

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Ugaona spojnica / Corner connector




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
				PL
US PNK 8 10 PL	100	85	1	10030220
US PNK 8 16 PL	160	85	1	10030221
US PNK 8 20 PL	200	85	1	10030222
US PNK 8 30 PL	300	85	1	10030223
US PNK 8 40 PL	400	85	1	10030224
US PNK 8 50 PL	500	85	1	10030225
US PNK 8 60 PL	600	85	1	10030226
				TC
US PNK 8 10 TC	100	85	1	10020232
US PNK 8 16 TC	160	85	1	10020233
US PNK 8 20 TC	200	85	1	10020234
US PNK 8 30 TC	300	85	1	10020235
US PNK 8 40 TC	400	85	1	10020236
US PNK 8 50 TC	500	85	1	10020237
US PNK 8 60 TC	600	85	1	10020238

PL Pocinkovani lim / Galvanized sheet TC Toplo pocinkovano potapanjem / Hot - dip galvanized



T račva / T Module


H85




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
				PL
T PNK 8 10 PL	100	85	1	10030227
T PNK 8 16 PL	160	85	1	10030228
T PNK 8 20 PL	200	85	1	10030229
T PNK 8 30 PL	300	85	1	10030230
T PNK 8 40 PL	400	85	1	10030231
T PNK 8 50 PL	500	85	1	10030232
T PNK 8 60 PL	600	85	1	10030233
				TC
T PNK 8 10 TC	100	85	1	10020239
T PNK 8 16 TC	160	85	1	10020240
T PNK 8 20 TC	200	85	1	10020241
T PNK 8 30 TC	300	85	1	10020242
T PNK 8 40 TC	400	85	1	10020243
T PNK 8 50 TC	500	85	1	10020244
T PNK 8 60 TC	600	85	1	10020245

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Račva plus / + Connection module




Tip Typ	Širina Width b mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
				PL
X PNK 8 10 PL	100	85	1	10030234
X PNK 8 16 PL	160	85	1	10030235
X PNK 8 20 PL	200	85	1	10030236
X PNK 8 30 PL	300	85	1	10030237
X PNK 8 40 PL	400	85	1	10030238
X PNK 8 50 PL	500	85	1	10030239
X PNK 8 60 PL	600	85	1	10030240
				TC
X PNK 8 10 TC	100	85	1	10020246
X PNK 8 16 TC	160	85	1	10020247
X PNK 8 20 TC	200	85	1	10020248
X PNK 8 30 TC	300	85	1	10020249
X PNK 8 40 TC	400	85	1	10020250
X PNK 8 50 TC	500	85	1	10020251
X PNK 8 60 TC	600	85	1	10020252

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Elementi zglobno vertikalne krivine / Adjustable vertical bend element



Tip Typ	Širina Width mm	Visina Height mm	Debljina Thickness mm	Šifra artikla Article
				PL
EZK PNK 8 10 PL	100	85	1	10030241
EZK PNK 8 16 PL	160	85	1	10030242
EZK PNK 8 20 PL	200	85	1	10030243
EZK PNK 8 30 PL	300	85	1	10030244
EZK PNK 8 40 PL	400	85	1	10030245
EZK PNK 8 50 PL	500	85	1	10030246
EZK PNK 8 60 PL	600	85	1	10030247
				TC
EZK PNK 8 10 TC	100	85	1	10020260
EZK PNK 8 16 TC	160	85	1	10020261
EZK PNK 8 20 TC	200	85	1	10020262
EZK PNK 8 30 TC	300	85	1	10020263
EZK PNK 8 40 TC	400	85	1	10020264
EZK PNK 8 50 TC	500	85	1	10020265
EZK PNK 8 60 TC	600	85	1	10020266

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Zglobno vertikalna krivina / Adjustable vertical bend

H85



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
ZK PNK 8 10 PL	100	85	1	10030248
ZK PNK 8 16 PL	160	85	1	10030249
ZK PNK 8 20 PL	200	85	1	10030250
ZK PNK 8 30 PL	300	85	1	10030251
ZK PNK 8 40 PL	400	85	1	10030252
ZK PNK 8 50 PL	500	85	1	10030253
ZK PNK 8 60 PL	600	85	1	10030254
				TC
ZK PNK 8 10 TC	100	85	1	10020253
ZK PNK 8 16 TC	160	85	1	10020254
ZK PNK 8 20 TC	200	85	1	10020255
ZK PNK 8 30 TC	300	85	1	10020256
ZK PNK 8 40 TC	400	85	1	10020257
ZK PNK 8 50 TC	500	85	1	10020258
ZK PNK 8 60 TC	600	85	1	10020259


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Nosač kablova PNK / PNK cable trays

H110




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
PNK 11 10 300 PL	100	110	0.75	3000	100	191	135	80	110070039
PNK 11 16 300 PL	160	110	0.75	3000	160	190	132	81	110070040
PNK 11 20 300 PL	200	110	0.75	3000	200	188	129	82	110070041
PNK 11 30 300 PL	300	110	1	3000	300	183	131	78	110070042
PNK 11 40 300 PL	400	110	1	3000	400	185	130	75	110070043
PNK 11 50 300 PL	500	110	1	3000	500	188	141	75	110070044
PNK 11 60 300 PL	600	110	1	3000	600	182	130	74	110070045
TC									
PNK 11 10 300 TC	100	110	0.8	3000	100	191	135	80	102270039
PNK 11 16 300 TC	160	110	0.8	3000	160	190	132	81	102270040
PNK 11 20 300 TC	200	110	0.8	3000	200	188	129	82	102270041
PNK 11 30 300 TC	300	110	1	3000	300	183	131	78	102270042
PNK 11 40 300 TC	400	110	1	3000	400	185	130	75	102270043
PNK 11 50 300 TC	500	110	1	3000	500	188	141	75	102270044
PNK 11 60 300 TC	600	110	1	3000	600	182	130	74	102270045

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Nosač kablova SNK / SNK cable trays




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
SNK 11 10 300 PL	100	110	1	3000	100	200	141	84	10070039
SNK 11 16 300 PL	160	110	1	3000	160	199	138	85	10070040
SNK 11 20 300 PL	200	110	1	3000	200	197	135	86	10070041
SNK 11 30 300 PL	300	110	1	3000	300	183	131	78	10070042
SNK 11 40 300 PL	400	110	1	3000	400	185	130	75	10070043
SNK 11 50 300 PL	500	110	1	3000	500	188	141	75	10070044
SNK 11 60 300 PL	600	110	1	3000	600	182	130	74	10070045
TC									
SNK 11 10 300 TC	100	110	1	3000	100	200	141	84	10270039
SNK 11 16 300 TC	160	110	1	3000	160	199	138	85	10270040
SNK 11 20 300 TC	200	110	1	3000	200	197	135	86	10270041
SNK 11 30 300 TC	300	110	1	3000	300	183	131	78	10270042
SNK 11 40 300 TC	400	110	1	3000	400	185	130	75	10270043
SNK 11 50 300 TC	500	110	1	3000	500	188	141	75	10270044
SNK 11 60 300 TC	600	110	1	3000	600	182	130	74	10270045

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Nosač kablova VNK / VNK cable trays



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dozvoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²	kg/m			PL
VNK 11 10 300 PL	100	110	1.5	3000	100	300	124	85	10080023
VNK 11 16 300 PL	160	110	1.5	3000	160	297	122	82	10080024
VNK 11 20 300 PL	200	110	1.5	3000	200	294	120	80	10080025
VNK 11 30 300 PL	300	110	1.5	3000	300	293	117	78	10080026
VNK 11 40 300 PL	400	110	1.5	3000	400	295	113	75	10080027
VNK 11 50 300 PL	500	110	1.5	3000	500	292	112	75	10080028
VNK 11 60 300 PL	600	110	1.5	3000	600	290	110	74	10080029
TC									
VNK 11 10 300 TC	100	110	1.5	3000	100	300	124	85	10020267
VNK 11 16 300 TC	160	110	1.5	3000	160	297	122	82	10020268
VNK 11 20 300 TC	200	110	1.5	3000	200	294	120	80	10020269
VNK 11 30 300 TC	300	110	1.5	3000	300	293	117	78	10020270
VNK 11 40 300 TC	400	110	1.5	3000	400	295	113	75	10020271
VNK 11 50 300 TC	500	110	1.5	3000	500	292	112	75	10020272
VNK 11 60 300 TC	600	110	1.5	3000	600	290	110	74	10020273


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Nosač kablova SNKP / SNKP cable trays


 **H110**


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²		kg/m		PL
PNKP 11 10 300 PL	100	110	1	3000	100	191	135	80	10040038
PNKP 11 16 300 PL	160	110	1	3000	160	190	132	81	10040039
PNKP 11 20 300 PL	200	110	1	3000	200	188	129	82	10040040
PNKP 11 30 300 PL	300	110	1	3000	300	183	131	78	10040041
PNKP 11 40 300 PL	400	110	1	3000	400	185	130	75	10040042
PNKP 11 50 300 PL	500	110	1	3000	500	188	141	75	10040043
PNKP 11 60 300 PL	600	110	1	3000	600	182	130	74	10040044

PL Pocinkovani lim / Galvanized sheet




Nosač kablova VNKP / VNKP cable trays


Tip Typ	Širina Width	Visina Height	Debljina Thickness	Dužina Length	Korisni presek Useful section	Dovoljeno opterećenje Allowed load			Šifra artikla Article
						1.5 m	2.0 m	2.5 m	
	mm	mm	mm	mm	cm ²		kg/m		PL
VNKP 11 10 300 PL	100	110	1.5	3000	100	300	124	85	10040045
VNKP 11 16 300 PL	160	110	1.5	3000	160	297	122	82	10040046
VNKP 11 20 300 PL	200	110	1.5	3000	200	294	120	80	10040047
VNKP 11 30 300 PL	300	110	1.5	3000	300	293	117	78	10040048
VNKP 11 40 300 PL	400	110	1.5	3000	400	295	113	75	10040049
VNKP 11 50 300 PL	500	110	1.5	3000	500	292	112	75	10040050
VNKP 11 60 300 PL	600	110	1.5	3000	600	290	110	74	10040051
									TC
VNKP 11 10 300 TC	100	110	1.5	3000	80	300	124	85	10020274
VNKP 11 16 300 TC	160	110	1.5	3000	130	297	122	82	10020275
VNKP 11 20 300 TC	200	110	1.5	3000	160	294	120	80	10020276
VNKP 11 30 300 TC	300	110	1.5	3000	240	293	117	78	10020277
VNKP 11 40 300 TC	400	110	1.5	3000	320	295	113	75	10020278
VNKP 11 50 300 TC	500	110	1.5	3000	400	292	112	75	10020279
VNKP 11 60 300 TC	600	110	1.5	3000	480	290	110	74	10020280

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Pregrada / Divider



Tip Typ	Visina Height	Dužina Length	Pakovanje Pack kom piece	Šifra artikla Article
P PNK 110 PL	110	3000	50	10030255
P PNK 110 TC	110	3000	50	10020281


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Bočna spojnica / Straight connector


H110




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
S PNK 110 PL	mm 110	50	PL 10030256
S PNK 110 TC	mm 110	50	TC 10020282

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Lomljiva spojnica / Angle connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
LS PNK 110 PL	mm 110	50	PL 10030257
LS PNK 110 TC	mm 110	50	TC 10020283

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Zglobna spojnica / Adjustable connector




Tip Typ	Visina Height	Pakovanje Pack kom piece	Šifra artikla Article
ZS PNK 110 PL	mm 110	50	PL 10030258
ZS PNK 110 TC	mm 110	50	TC 10020284

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Ugradna račva / Add-one tee



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
UR PNK 11 10 PL	mm 100	mm 110	mm 1	PL 10030259
UR PNK 11 16 PL	mm 160	mm 110	mm 1	10030260
UR PNK 11 20 PL	mm 200	mm 110	mm 1	10030261
UR PNK 11 30 PL	mm 300	mm 110	mm 1	10030262
UR PNK 11 40 PL	mm 400	mm 110	mm 1	10030263
UR PNK 11 50 PL	mm 500	mm 110	mm 1	10030264
UR PNK 11 60 PL	mm 600	mm 110	mm 1	10030265
UR PNK 11 10 TC	mm 100	mm 110	mm 1	TC 10020285
UR PNK 11 16 TC	mm 160	mm 110	mm 1	10020286
UR PNK 11 20 TC	mm 200	mm 110	mm 1	10020287
UR PNK 11 30 TC	mm 300	mm 110	mm 1	10020288
UR PNK 11 40 TC	mm 400	mm 110	mm 1	10020289
UR PNK 11 50 TC	mm 500	mm 110	mm 1	10020290
UR PNK 11 60 TC	mm 600	mm 110	mm 1	10020291

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Krivina 45° / Bend 45°

H110




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
K45 PNK 11 10 PL	100	110	1	10030266
K45 PNK 11 16 PL	160	110	1	10030267
K45 PNK 11 20 PL	200	110	1	10030268
K45 PNK 11 30 PL	300	110	1	10030269
K45 PNK 11 40 PL	400	110	1	10030270
K45 PNK 11 50 PL	500	110	1	10030271
K45 PNK 11 60 PL	600	110	1	10030272
				TC
K45 PNK 11 10 TC	100	110	1	10020292
K45 PNK 11 16 TC	160	110	1	10020293
K45 PNK 11 20 TC	200	110	1	10020294
K45 PNK 11 30 TC	300	110	1	10020295
K45 PNK 11 40 TC	400	110	1	10020296
K45 PNK 11 50 TC	500	110	1	10020297
K45 PNK 11 60 TC	600	110	1	10020298

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Krivina 90° / Bend 90°




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
L PNK 11 10 PL	100	110	1	10030273
L PNK 11 16 PL	160	110	1	10030274
L PNK 11 20 PL	200	110	1	10030275
L PNK 11 30 PL	300	110	1	10030276
L PNK 11 40 PL	400	110	1	10030277
L PNK 11 50 PL	500	110	1	10030278
L PNK 11 60 PL	600	110	1	10030279
				TC
L PNK 11 10 TC	100	110	1	10020299
L PNK 11 16 TC	160	110	1	10020300
L PNK 11 20 TC	200	110	1	10020301
L PNK 11 30 TC	300	110	1	10020302
L PNK 11 40 TC	400	110	1	10020303
L PNK 11 50 TC	500	110	1	10020304
L PNK 11 60 TC	600	110	1	10020305

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Ugaona spojnica / Corner connector



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
US PNK 11 10 PL	100	110	1	10030280
US PNK 11 16 PL	160	110	1	10030281
US PNK 11 20 PL	200	110	1	10030282
US PNK 11 30 PL	300	110	1	10030283
US PNK 11 40 PL	400	110	1	10030284
US PNK 11 50 PL	500	110	1	10030285
US PNK 11 60 PL	600	110	1	10030286
				TC
US PNK 11 10 TC	100	110	1	10020306
US PNK 11 16 TC	160	110	1	10020307
US PNK 11 20 TC	200	110	1	10020308
US PNK 11 30 TC	300	110	1	10020309
US PNK 11 40 TC	400	110	1	10020310
US PNK 11 50 TC	500	110	1	10020311
US PNK 11 60 TC	600	110	1	10020312


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



T račva / T Module

H110




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
T PNK 11 10 PL	100	110	1	10030287
T PNK 11 16 PL	160	110	1	10030288
T PNK 11 20 PL	200	110	1	10030289
T PNK 11 30 PL	300	110	1	10030290
T PNK 11 40 PL	400	110	1	10030291
T PNK 11 50 PL	500	110	1	10030292
T PNK 11 60 PL	600	110	1	10030293
				TC
T PNK 11 10 TC	100	110	1	10020313
T PNK 11 16 TC	160	110	1	10020314
T PNK 11 20 TC	200	110	1	10020315
T PNK 11 30 TC	300	110	1	10020316
T PNK 11 40 TC	400	110	1	10020317
T PNK 11 50 TC	500	110	1	10020318
T PNK 11 60 TC	600	110	1	10020319

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized




Račva plus / + Connection module




Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
X PNK 11 10 PL	100	110	1	10030294
X PNK 11 16 PL	160	110	1	10030295
X PNK 11 20 PL	200	110	1	10030296
X PNK 11 30 PL	300	110	1	10030297
X PNK 11 40 PL	400	110	1	10030298
X PNK 11 50 PL	500	110	1	10030299
X PNK 11 60 PL	600	110	1	10030300
				TC
X PNK 11 10 TC	100	110	1	10020320
X PNK 11 16 TC	160	110	1	10020321
X PNK 11 20 TC	200	110	1	10020322
X PNK 11 30 TC	300	110	1	10020323
X PNK 11 40 TC	400	110	1	10020324
X PNK 11 50 TC	500	110	1	10020325
X PNK 11 60 TC	600	110	1	10020326

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Elementi zglobovno vertikalne krivine / Adjustable vertical bend element



Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
EZK PNK 11 10 PL	100	110	1	10030301
EZK PNK 11 16 PL	160	110	1	10030302
EZK PNK 11 20 PL	200	110	1	10030303
EZK PNK 11 30 PL	300	110	1	10030304
EZK PNK 11 40 PL	400	110	1	10030305
EZK PNK 11 50 PL	500	110	1	10030306
EZK PNK 11 60 PL	600	110	1	10030307
				TC
EZK PNK 11 10 TC	100	110	1	10020327
EZK PNK 11 16 TC	160	110	1	10020328
EZK PNK 11 20 TC	200	110	1	10020329
EZK PNK 11 30 TC	300	110	1	10020330
EZK PNK 11 40 TC	400	110	1	10020331
EZK PNK 11 50 TC	500	110	1	10020332
EZK PNK 11 60 TC	600	110	1	10020333


PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized





Zglobno vertikalna krivina / Adjustable vertical bend


H110

Tip Typ	Širina Width	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	mm	PL
ZK PNK 11 10 PL	100	110	1	10030308
ZK PNK 11 16 PL	160	110	1	10030309
ZK PNK 11 20 PL	200	110	1	10030310
ZK PNK 11 30 PL	300	110	1	10030311
ZK PNK 11 40 PL	400	110	1	10030312
ZK PNK 11 50 PL	500	110	1	10030313
ZK PNK 11 60 PL	600	110	1	10030314
				TC
ZK PNK 11 10 TC	100	110	1	10020334
ZK PNK 11 16 TC	160	110	1	10020335
ZK PNK 11 20 TC	200	110	1	10020336
ZK PNK 11 30 TC	300	110	1	10020337
ZK PNK 11 40 TC	400	110	1	10020338
ZK PNK 11 50 TC	500	110	1	10020339
ZK PNK 11 60 TC	600	110	1	10020340

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Klik poklopac 2000mm / Click cover 2000mm




Tip Typ	Širina Width	Debljina Thickness	Dužina Length	Šifra artikla Article
	mm	mm	mm	PL
KPC PNK 50/2000 PL	50	0.75	2000	080010000
KPC PNK 100/2000 PL	100	0.75	2000	080010001
KPC PNK 160/2000 PL	160	0.75	2000	080010002
KPC PNK 200/2000 PL	200	0.75	2000	080010003
KPC PNK 300/2000 PL	300	0.75	2000	080010004
KPC PNK 400/2000 PL	400	1	2000	080010005
KPC PNK 500/2000 PL	500	1	2000	080010006
KPC PNK 600/2000 PL	600	1	2000	080010007

PL Pocinkovani lim / Galvanized sheet



Klik poklopac 3000mm / Click cover 3000mm




Tip Typ	Širina Width	Debljina Thickness	Dužina Length	Šifra artikla Article
	mm	mm	mm	PL
KPC PNK 50/3000 PL	50	0.75	3000	080010008
KPC PNK 100/3000 PL	100	0.75	3000	080010009
KPC PNK 160/3000 PL	160	0.75	3000	080010010
KPC PNK 200/3000 PL	200	0.75	3000	080010011
KPC PNK 300/3000 PL	300	0.75	3000	080010012
KPC PNK 400/3000 PL	400	1	3000	080010013
KPC PNK 500/3000 PL	500	1	3000	080010014
KPC PNK 600/3000 PL	600	1	3000	080010015

PL Pocinkovani lim / Galvanized sheet




Poklopac regala 2000mm / Cable tray cover 2000mm



Tip Typ	Širina Width	Debljina Thickness	Dužina Length	Šifra artikla Article
	mm	mm	mm	PL
PC PNK 50/2000 PL	50	0.75	2000	080010016
PC PNK 100/2000 PL	100	0.75	2000	080010017
PC PNK 160/2000 PL	160	0.75	2000	080010018
PC PNK 200/2000 PL	200	0.75	2000	080010019
PC PNK 300/2000 PL	300	0.75	2000	080010020
PC PNK 400/2000 PL	400	1	2000	080010021
PC PNK 500/2000 PL	500	1	2000	080010022
PC PNK 600/2000 PL	600	1	2000	080010023
				TC
PC PNK 50/2000 TC	50	1	2000	080020001
PC PNK 100/2000 TC	100	1	2000	080020002
PC PNK 160/2000 TC	160	1	2000	080020003
PC PNK 200/2000 TC	200	1	2000	080020004
PC PNK 300/2000 TC	300	1	2000	080020005
PC PNK 400/2000 TC	400	1	2000	080020006
PC PNK 500/2000 TC	500	1	2000	080020007
PC PNK 600/2000 TC	600	1	2000	080020008

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






Poklopac regala 3000mm / Cable tray cover 3000mm




POK




Tip Typ	Širina Width	Debljina Thickness	Dužina Length	Šifra artikla Article
	mm	mm	mm	PL
PC PNK 50/3000 PL	50	0.75	3000	080010024
PC PNK 100/3000 PL	100	0.75	3000	080010025
PC PNK 160/3000 PL	160	0.75	3000	080010026
PC PNK 200/3000 PL	200	0.75	3000	080010027
PC PNK 300/3000 PL	300	0.75	3000	080010028
PC PNK 400/3000 PL	400	1	3000	080010029
PC PNK 500/3000 PL	500	1	3000	080010030
PC PNK 600/3000 PL	600	1	3000	080010031
				TC
PC PNK 50/3000 TC	50	1	3000	080020009
PC PNK 100/3000 TC	100	1	3000	080020010
PC PNK 160/3000 TC	160	1	3000	080020011
PC PNK 200/3000 TC	200	1	3000	080020012
PC PNK 300/3000 TC	300	1	3000	080020013
PC PNK 400/3000 TC	400	1	3000	080020014
PC PNK 500/3000 TC	500	1	3000	080020015
PC PNK 600/3000 TC	600	1	3000	080020016

PL Pocinkovani lim / Galvanized sheet


TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Poklopac L krivine / 90° Bend cover




Tip Typ	Širina Width	Šifra artikla Article
	mm	PL
PL PNK 50 PL	50	080010032
PL PNK 100 PL	100	080010033
PL PNK 160 PL	160	080010034
PL PNK 200 PL	200	080010035
PL PNK 300 PL	300	080010036
PL PNK 400 PL	400	080010037
PL PNK 500 PL	500	080010038
PL PNK 600 PL	600	080010039
		TC
PL PNK 50 TC	50	080020017
PL PNK 100 TC	100	080020018
PL PNK 160 TC	160	080020019
PL PNK 200 TC	200	080020020
PL PNK 300 TC	300	080020021
PL PNK 400 TC	400	080020022
PL PNK 500 TC	500	080020023
PL PNK 600 TC	600	080020024

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Poklopac racve plus / Cover + Connection module




Tip Typ	Širina Width	Šifra artikla Article
	mm	PL
PR PNK 50 PL	50	080010040
PR PNK 100 PL	100	080010041
PR PNK 160 PL	160	080010042
PR PNK 200 PL	200	080010043
PR PNK 300 PL	300	080010044
PR PNK 400 PL	400	080010045
PR PNK 500 PL	500	080010046
PR PNK 600 PL	600	080010047
		TC
PR PNK 50 TC	50	080020025
PR PNK 100 TC	100	080020026
PR PNK 160 TC	160	080020027
PR PNK 200 TC	200	080020028
PR PNK 300 TC	300	080020029
PR PNK 400 TC	400	080020030
PR PNK 500 TC	500	080020031
PR PNK 600 TC	600	080020032

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Poklopac krivine 45° / 45° Bend cover



Tip Typ	Širina Width	Šifra artikla Article
	mm	PL
PK PNK 50 PL	50	080010048
PK PNK 100 PL	100	080010049
PK PNK 160 PL	160	080010050
PK PNK 200 PL	200	080010051
PK PNK 300 PL	300	080010052
PK PNK 400 PL	400	080010053
PK PNK 500 PL	500	080010054
PK PNK 600 PL	600	080010055
		TC
PK PNK 50 TC	50	080020033
PK PNK 100 TC	100	080020034
PK PNK 160 TC	160	080020035
PK PNK 200 TC	200	080020036
PK PNK 300 TC	300	080020037
PK PNK 400 TC	400	080020038
PK PNK 500 TC	500	080020039
PK PNK 600 TC	600	080020040

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized






Poklopac T račve/ Cover T Module




POK




Tip Typ	Širina Width	Šifra artikla Article
	mm	PL
PT PNK 50 PL	50	080010056
PT PNK 100 PL	100	080010057
PT PNK 160 PL	160	080010058
PT PNK 200 PL	200	080010059
PT PNK 300 PL	300	080010060
PT PNK 400 PL	400	080010061
PT PNK 500 PL	500	080010062
PT PNK 600 PL	600	080010063
		TC
PT PNK 50 TC	50	080020041
PT PNK 100 TC	100	080020042
PT PNK 160 TC	160	080020043
PT PNK 200 TC	200	080020044
PT PNK 300 TC	300	080020045
PT PNK 400 TC	400	080020046
PT PNK 500 TC	500	080020047
PT PNK 600 TC	600	080020048

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Poklopac vertikalne krivine na dole / Cover for the down vertical curve




Tip Typ	Širina Width	Šifra artikla Article
	mm	PL
PD PNK 50 PL	50	080010064
PD PNK 100 PL	100	080010065
PD PNK 160 PL	160	080010066
PD PNK 200 PL	200	080010067
PD PNK 300 PL	300	080010068
PD PNK 400 PL	400	080010069
PD PNK 500 PL	500	080010070
PD PNK 600 PL	600	080010071
		TC
PD PNK 50 TC	50	080020049
PD PNK 100 TC	100	080020050
PD PNK 160 TC	160	080020051
PD PNK 200 TC	200	080020052
PD PNK 300 TC	300	080020053
PD PNK 400 TC	400	080020054
PD PNK 500 TC	500	080020055
PD PNK 600 TC	600	080020056

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized


Poklopac vertikalne krivine na gore / Cover for the mounting vertical curve




Tip Typ	Širina Width	Šifra artikla Article
	mm	PL
PG PNK 50 PL	50	80010072
PG PNK 100 PL	100	80010073
PG PNK 160 PL	160	80010074
PG PNK 200 PL	200	80010075
PG PNK 300 PL	300	80010076
PG PNK 400 PL	400	80010077
PG PNK 500 PL	500	80010078
PG PNK 600 PL	600	80010079
		TC
PG PNK 50 TC	50	80020057
PG PNK 100 TC	100	80020058
PG PNK 160 TC	160	80020059
PG PNK 200 TC	200	80020060
PG PNK 300 TC	300	80020061
PG PNK 400 TC	400	80020062
PG PNK 500 TC	500	80020063
PG PNK 600 TC	600	80020064

PL Pocinkovani lim / Galvanized sheet

TC Toplo pocinkovano potapanjem / Hot - dip galvanized



Stežaljka poklopca/ Cover clip



Tip Typ	Visina Height	Debljina Thickness	Šifra artikla Article
	mm	mm	PL
SP 30 PL	30	1.5	30011113
SP 50 PL	50	1.5	30011114
SP 60 PL	60	1.5	30011115
SP 75 PL	75	1.5	30011116
SP 85 PL	85	1.5	30011117
SP 110 PL	110	1.5	30011118

PL Pocinkovani lim / Galvanized sheet

